

Dr. Ernst Niebur
Zanvyl Krieger Mind/Brain Institute
The Johns Hopkins University
3400 N. Charles Street
Baltimore, MD 21218 USA

Peer Reviewed Articles

- Dong, Y., Mihalas, S., Russell, A., Etienne-Cummings, R., & Niebur, E. (in press). Estimating parameters of generalized integrate-and-fire neurons from the maximum likelihood of spike trains. *Neural Computation*.
- Mihalas, S., Dong, Y., von der Heydt, R., & Niebur, E. (2011a). Mechanisms of perceptual organization provide auto-zoom and auto-localization for attention to objects. *Proceedings of the National Academy of Sciences*, *108*(18), 7583.
- Mihalas, S., Dong, Y., von der Heydt, R., & Niebur, E. (2011b). Event-related simulation of neural processing in complex visual scenes. In *45th Annual Conference on Information Sciences and Systems* Baltimore, MD. IEEE Information Theory Society.
- Dong, Y., Mihalas, S., & Niebur, E. (2011). Improved integral equation solution for the first passage time of leaky integrate-and-fire neurons. *Neural Computation*, *23*(2), 421–34.
- Ramenahalli, S., Mihalas, S., & Niebur, E. (2011). Extremal edges: Evidence in natural images. In *45th Annual Conference on Information Sciences and Systems* Baltimore, MD. IEEE Information Theory Society.
- Millman, D., Mihalas, S., Kirkwood, A., & Niebur, E. (2010). Self-organized criticality occurs in non-conservative neuronal networks during Up states. *Nature Physics*, *6*(10), 801–805.
- Russell, A., Orchard, G., Dong, Y., Mihalas, S., Niebur, E., Tapson, J., & Etienne-Cummings, R. (2010). Optimization methods for spiking neurons and networks. *IEEE Transactions on Neural Networks*, *21*(12), 1950–62.
- van Schaik, A., Jin, C., McEwan, A., Hamilton, T., Mihalas, S., & Niebur, E. (2010). A log-domain implementation of the Mihalas-Niebur neuron model. In *Circuits and Systems (ISCAS), Proceedings of the 2010 IEEE International Symposium on*, pp. 4249–4252. IEEE.
- Niebur, E. (2009). Temporal tagging of attended objects. *Proc. Nat. Acad. Sci., USA*, *106*(8), 2479–80.

- Masciocchi, C., Mihalas, S., Parkhurst, D., & Niebur, E. (2009). Everyone knows what is interesting: Salient locations which should be fixated. *Journal of Vision*, *9*(11), 1–22.
- Mihalas, S. & Niebur, E. (2009). A generalized linear integrate-and-fire neural model produces diverse spiking behavior. *Neural Computation*, *21*(3), 704–18.
- Ray, S., Crone, N. E., Niebur, E., Franaszczuk, P. J., & Hsiao, S. S. (2008). Neural correlates of high-gamma oscillations (60-200 Hz) in macaque local field potentials and their potential implications in electrocorticography. *J. Neurosci.*, *28*(45), 11526–36.
- Niebur, E. (2008a). Neuronal cable theory. *Scholarpedia*, *3*(5), 2674.
- Niebur, E. (2008b). Electrical properties of cell membranes. *Scholarpedia*, *3*(6), 7166.
- Deppmann, C. D., Mihalas, S., Sharma, N., Lonze, B. E., Niebur, E., & Ginty, D. D. (2008). A model for neuronal competition during development. *Science*, *320*(5874), 369–73.
- Dong, Y., Mihalas, S., Qiu, F., von der Heydt, R., & Niebur, E. (2008). Synchrony and the binding problem in macaque visual cortex. *Journal of Vision*, *8*(7), 1–16.
- Mikula, S. & Niebur, E. (2008). Exact solutions for rate and synchrony in recurrent networks of coincidence detectors. *Neural Computation*, *20*(11), 2637–61.
- Ray, S., Hsiao, S. S., Crone, N. E., Franaszczuk, P. J., & Niebur, E. (2008a). Effect of stimulus intensity on the spike-local field potential relationship in the secondary somatosensory cortex. *J. Neurosci.*, *28*(29), 7334–43.
- Ray, S., Niebur, E., Hsiao, S. S., Sinai, S., & Crone, N. E. (2008b). High-frequency gamma activity (80-150 Hz) is increased in human cortex during selective attention. *Clinical Neurophysiology*, *119*(1), 116–33.
- Roy, A., Steinmetz, P. N., Hsiao, S. S., Johnson, K. O., & Niebur, E. (2007). Synchrony: A neural correlate of somatosensory attention. *J. Neurophysiology*, *98*, 1645–61.
- Niebur, E. (2007). Generation of synthetic spike trains with defined pairwise correlations. *Neural Computation*, *19*, 1720–38.
- Craft, E., Schütze, H., Niebur, E., & von der Heydt, R. (2007). A neural model of figure-ground organization. *J. Neurophysiology*, *97*(6), 4310–26.

- Niebur, E. (2007). The saliency map. *Scholarpedia*, 2(8), 2675.
- Shimazaki, H. & Niebur, E. (2006). Correlated multiplicative modulation in coupled oscillator systems: a model of selective attention. *Progress of Theoretical Physics Suppl.*, 161, 336–9.
- Mikula, S. & Niebur, E. (2006). A novel method for visualizing functional connectivity using principal component analysis. *Intern. J Neuroscience*, 116(4), 419–429.
- Garcia, K. & Niebur, E. (2005). A computational model of developing schizophrenia: Progressive disconnectivity and the limits of compensatory mesostriatal dopamine. *Schizophrenia Bulletin*, 31(2), 452–453.
- Shimazaki, H. & Niebur, E. (2005). Phase transitions in multiplicative competitive processes. *Physical Review E*, 72, 01192–1 – 01192–4.
- Mikula, S. & Niebur, E. (2005). Rate and synchrony in feedforward networks of coincidence detectors: Analytical solution. *Neural Computation*, 14(4), 881–902.
- Mikula, S. & Niebur, E. (2004). Correlated inhibitory and excitatory inputs to the coincidence detector: analytical solution. *IEEE Transactions on Neural Networks*, 15(5), 957–962.
- Parkhurst, D. & Niebur, E. (2004). Texture contrast attracts overt visual attention in natural scenes. *European J. Neuroscience*, 19(3), 783–789.
- Parkhurst, D. & Niebur, E. (2003). Scene content selected by active vision. *Spatial Vision*, 16(2), 125–54.
- Mikula, S. & Niebur, E. (2003a). Synaptic depression leads to nonmonotonic frequency dependence in the coincidence detector. *Neural Computation*, 15(10), 2339–58.
- Mikula, S. & Niebur, E. (2003b). The effects of input rate and synchrony on a coincidence detector: Analytical solution. *Neural Computation*, 15, 539–47.
- Parkhurst, D. & Niebur, E. (2002). Variable resolution displays: a theoretical, practical and behavioral evaluation. *Human Factors*, 44(4), 611–29.
- Niebur, E. (2002). Electrophysiological correlates of synchronous neural activity and attention: a short review. *Biosystems*, 67(1-3), 157–66.
- Niebur, E., Hsiao, S. S., & Johnson, K. O. (2002). Synchrony: a neuronal mechanism for attentional selection?. *Current Opinion In Neurobiology*, 12(2), 190–194.

- Parkhurst, D., Law, K., & Niebur, E. (2002). Modelling the role of saliency in the allocation of visual selective attention. *Vision Research*, *42*(1), 107–123.
- Niebur, E. (2001). Sensorimotor contingencies do not replace internal representations, and mastery is not necessary for perception. *Behavioral and Brain Sciences*, *24*(5), 994–995.
- Niebur, E. et al. (2001). Research, robots, and reality: A statement on current trends in biorobotics. *Behavioral and Brain Sciences*, *24*(6), 1072–1073.
- Steinmetz, P. N., Roy, A., Fitzgerald, P., Hsiao, S. S., Johnson, K. O., & Niebur, E. (2000). Attention modulates synchronized neuronal firing in primate somatosensory cortex. *Nature*, *404*, 187–190.
- Roy, A., Steinmetz, P. N., Johnson, K. O., & Niebur, E. (2000a). Model-free detection of synchrony in neuronal spike trains, with an application to primate somatosensory cortex. *Neurocomputing*, *32-33*, 1103–1108.
- Roy, A., Steinmetz, P. N., & Niebur, E. (2000b). Rate limitations of unitary event analysis. *Neural Computation*, *12*(9), 2063–2082.
- Itti, L., Koch, C., & Niebur, E. (1998). A model of saliency-based fast visual attention for rapid scene analysis. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, *20*(11), 1254–1259.
- Niebur, E. & Usher, M. (1997). 'tis all in pieces: (separate rfs and cfs, and) all coherence's gone. *Behavioral and Brain Sciences*, *20*(4), 693.
- Niebur, E. (1997). From living eyes to seeing machines (book review). *Trends in Cognitive Sciences*, *1*(5), 195–196.
- Maeder, A., Diederich, J., & Niebur, E. (1996). Limiting human perception for image sequences. *Proceedings of the SPIE*, *2657*, 330–337.
- Usher, M. & Niebur, E. (1996a). Modeling the temporal dynamics of it neurons in visual search: A mechanism for top-down selective attention. *J. Cognitive Neuroscience*, *8*(4), 311–327.
- Usher, M. & Niebur, E. (1996b). A neural model for parallel, expectation-driven attention for objects. *J. Cognitive Neuroscience*, *8*(3), 305–321.
- Schuster, H. G., Niebur, E., Hunt, E. R., Johnson, G. A., & Löcher, M. (1996). Parametric feedback resonance in chaotic systems. *Physical Review Letters*, *76*, 400–403.
- Stemmler, M., Usher, M., & Niebur, E. (1995). Lateral interactions in primary visual cortex: A model bridging physiology and psychophysics. *Science*, *269*, 1877–1880.

- Brette, D. & Niebur, E. (1994). A detailed simulator of a biological neural network. *IEEE Computational Science and Engineering*, 1(4), 31–43.
- Niebur, E. & Wörgötter, F. (1994). Design principles of columnar organization in visual cortex. *Neural Computation*, 6, 602–614.
- Niebur, E. & Koch, C. (1994). A model for the neuronal implementation of selective visual attention based on temporal correlation among neurons. *Journal of Computational Neuroscience*, 1(1), 141–158.
- Niebur, E. (1994a). Kognitive Modellierung. *Künstliche Intelligenz*, 4, 41–42.
- Niebur, E. (1994b). Computational neuroscience. *Künstliche Intelligenz*, 4, 46–47.
- Usher, M., Schuster, H. G., & Niebur, E. (1993). Dynamics of populations of integrate-and-fire neurons, partial synchronization and memory. *Neural Computation*, 5, 570–586.
- Wörgötter, F. & Niebur, E. (1993). Cortical column design: a link between maps of preferred orientation and orientation tuning strength. *Biological Cybernetics*, 70, 1–13.
- Niebur, E., Koch, C., & Rosin, C. (1993). An oscillation-based model for the neural basis of attention. *Vision Research*, 33, 2789–2802.
- Niebur, E. & Erdős, P. (1993a). Theory of the locomotion of nematodes: control of the somatic motor neurons by interneurons. *Mathematical Biosciences*, 118, 51–82.
- Niebur, E. & Erdős, P. (1993b). Modeling locomotion and its neural control in nematodes. *Comments in Theoretical Biology*, 3(2), 109–139.
- Wörgötter, F., Niebur, E., & Koch, C. (1992). Generation of direction selectivity by isotropic intracortical connections. *Neural Computation*, 4(2), 332–340.
- Erdős, P. & Niebur, E. (1992). Fonalfergek helyvaltoztatasanakk neuralis lapja (in Hungarian; English title as translated by journal: The neural basis of nematode worms' creeping). *Fizikai szemle*, 42(7), 257–263.
- Wörgötter, F., Niebur, E., & Koch, C. (1991). Isotropic connections generate functional asymmetrical behavior in visual cortical cells. *J. Neurophysiol.*, 66(2), 444–459.
- Niebur, E., Schuster, H. G., & Kammen, D. (1991a). Collective frequencies and metastability in networks of limit cycle oscillators with time delay. *Physical Review Letters*, 67(20), 2753–2756.

- Niebur, E., Schuster, H. G., Kammen, D., & Koch, C. (1991b). Oscillator phase coupling for different two-dimensional network connectivities. *Physical Review A*, *44*(10), 6895–6904.
- Niebur, E. & Niebur, D. (1991). Numerical implementation of sealed-end boundary conditions in cable theory. *IEEE-Transactions on Biomedical Engineering*, *38*(2), 1266–1271.
- Niebur, E. & Erdős, P. (1991). Theory of the locomotion of nematodes: Dynamics of undulatory progression on a solid surface. *Biophysical Journal*, *60*, 1132–1146.
- Niebur, E. (1989). Tout ce que vous avez toujours voulu savoir sur le 'X' sans jamais avoir osé le demander (in French). *Computer Forum*, *6*, 33–38.
- Niebur, E. & Solyom, J. (1988). Improved mean-field-like renormalisation group approach for $Z(q)$ symmetric spin models. *Journal of Physics A: Mathematical and General*, *21*, 539–546.
- Niebur, E. & Solyom, J. (1987). Mean-field-like variational and renormalisation group studies of (1+1)-dimensional spin models. *Journal of Physics A: Mathematical and General*, *20*, 2949–2959.

Book Chapters

- Mihalas, S., Dong, Y., von der Heydt, R., & Niebur, E. (2011). Event-related simulation of neural processing in complex visual scenes. In *45th Annual Conference on Information Sciences and Systems* Baltimore, MD. IEEE Information Theory Society.
- Folowosele, F., Harrison, A., Cassidy, A., Andreou, A. G., Etienne-Cummings, R., Mihalas, S., Niebur, E., & Hamilton, T. J. (2009). A switched-capacitor implementation of the generalized linear integrate-and-fire neuron. In *IEEE International Symposium on Circuits and Systems (ISCAS, Taiwan)*, peer-reviewed conference proceedings, pp. 2149–52. IEEE Press.
- Steinmetz, P. N., Niebur, E., Hsiao, S. S., & Johnson, K. O. (2005). Attention to tactile stimuli increases neural synchrony in somatosensory cortex. In Itti, L., Rees, G., & Tsotsos, J. (Eds.), *Neurobiology of Attention*, chap. 88, pp. 534–7. Academic Press/Elsevier.
- Parkhurst, D. & Niebur, E. (2005). Stimulus-driven guidance of visual attention in natural scenes. In Itti, L., Rees, G., & Tsotsos, J. (Eds.), *Neurobiology of Attention*, chap. 39, pp. 240–5. Academic Press/Elsevier.
- Niebur, E., Itti, L., & Koch, C. (2001). Controlling the focus of visual selective attention. In Van Hemmen, J. L., Cowan, J. D., & Domany, E. (Eds.), *Models of Neural Networks IV: Early Vision and Attention*, pp. 247–276. Springer Verlag, New York.
- Usher, M. & Niebur, E. (1999). Mental representations: A computational-neuroscience scheme. In Riegler, A. & Peschl, M. (Eds.), *Understanding Representation in the Cognitive Sciences*, pp. 135–143. Kluwer Academic Publishers, Norwell, MA.
- Niebur, E. & Koch, C. (1998). Computational architectures for attention. In Parasuraman, R. (Ed.), *The Attentive Brain*, chap. 9, pp. 163–186. MIT Press, Cambridge, MA.
- Usher, M., Stemmler, M., & Niebur, E. (1996). The role of lateral connections in visual cortex: dynamics and information processing. In Sirosh, J., Mikkulainen, R., & Choe, Y. (Eds.), *Lateral Interactions in the Cortex*. The UTCS Neural Networks Research Group, Austin, Texas. Electronic book, ISBN 0-9647060-0-8, <http://www.cs.utexas.edu/users/nn/web-pubs/htmlbook96>.
- Niebur, E. & Erdős, P. (1995). Control of the undulatory motion of vermiform robots. In Zobrist, G. & Ho, C. V. (Eds.), *Robotics and Intelligent Systems*, Vol. 3, chap. 2, pp. 51–84. Ablex Publ. Co., Norwood NJ.

- Niebur, E. & Koch, C. (1994). Models for the neurophysiological basis of attention based on the temporal structure of neural signals. In Elbert, T., Lütkenhöner, B., & Pantev, C. (Eds.), *Oscillatory event related brain dynamics*, pp. 295–309. Plenum Press, London.
- Niebur, E., Schuster, H. G., & Kammen, D. M. (1992). Systems of relaxation oscillators with time-delayed coupling. In Taylor, J., Caianiello, E., Cotterill, R., & Clark, J. (Eds.), *Neural Network Dynamics*, pp. 226–233. Springer Verlag, London-Berlin-New York.
- Niebur, E., Wörgötter, F., & Koch, C. (1991a). The Caltech Computer Cat: a fine-grain simulator of the primary visual system of cat. *Annales du CARNAC*, 4, 1–7.
- Niebur, E., Kammen, D. M., & Koch, C. (1991b). Phase locking in 1-D and 2-D networks of oscillating neurons. In Schuster, H. (Ed.), *Nonlinear Dynamics and Neuronal Networks*, pp. 173–204. VCH Verlag, Weinheim.
- Wörgötter, F., Niebur, E., & Koch, C. (1990). Modeling visual cortex: Hidden anisotropies in an isotropic inhibitory connection scheme. In Eckmiller, R. (Ed.), *Advanced Neural Computers*, pp. 87–94. Elsevier Science Publ. B.V.
- Erdős, P. & Niebur, E. (1990). The neural basis of the locomotion of nematodes. In Garrido, L. (Ed.), *Lecture Notes in Physics*, Vol. 368, pp. 253–267. Springer-Verlag, Berlin and Heidelberg.
- Niebur, E. & Erdős, P. (1988). Computer simulation of networks of electrotonic neurons. In Cotterill, R. (Ed.), *Computer Simulation in Brain Science*, pp. 148–163. Cambridge University Press, Cambridge.
- Czycholl, G., Keiter, H., & Niebur, E. (1982). Infinite order Brillouin-Wigner perturbation theory of the mixed valent impurity. In Wachter, P. (Ed.), *Valence Instabilities*, p. 45. North Holland, Amsterdam.

Technical Reports and other unpublished papers are not listed. Abstracts are not listed except those that appeared in the last three years.

Abstracts, Conference Proceedings, Theses

- Mihalas, S., Dong, Y., von der Heydt, R., & Niebur, E. (2011). Event-related simulation of neural processing in complex visual scenes. In *45th Annual Conference on Information Sciences and Systems* Baltimore, MD. IEEE Information Theory Society.
- Ramenahalli, S., Mihalas, S., & Niebur, E. (2011). Extremal edges: Evidence in natural images. In *45th Annual Conference on Information Sciences and Systems* Baltimore, MD. IEEE Information Theory Society.
- Millman, D. & Niebur, E. (2009). Synthetic spike trains with defined pairwise correlations. In *Proceedings of the 57th session of the International Statistics Institute (ISBN: 978-90-73592-29-2)*.
- Masciocchi, C., Mihalas, S., Parkhurst, D., & Niebur, E. (2008). Interesting locations in natural scenes draw eye movements. In *VSS Annual conference*. Vision Sciences Society, Naples, FL.
- Niebur, E., Craft, E., Schütze, H., & von der Heydt, R. (2006). A computational model of figure-ground organization. *Perception, 35 Supplement*, 122–123.
- Dong, Y., von der Heydt, R., & Niebur, E. (2006). Synchrony and the binding problem in macaque visual cortex. In *Society for Neuroscience Annual Meeting*, p. 734.8. Society for Neuroscience, Washington, DC.
- Mikula, S. & Niebur, E. (2005). Effects of rate and cross-correlation in recurrent networks of coincidence detectors. *Society for Neuroscience Abstracts*, 283.12.
- Parkhurst, D. J. & Niebur, E. (2004). A feasibility test for perceptually adaptive level of detail rendering on desktop systems. In *Proceedings of the Applied Perception in Graphics and Visualization Symposium*, pp. 49–56. ACM, New York, NY.
- Niebur, E. & Mikula, S. (2003). Rate and synchrony propagation through a feedforward multi-layered network of coincidence detectors: Analytical solutions. In *Soc. Neurosci. Abstr.*, Vol. 29. Society for Neuroscience, New Orleans.
- Indiveri, G., Horiuchi, T., Niebur, E., & Douglas, R. (2001). A competitive network of spiking VLSI neurons. In Rattay, F. (Ed.), *World Congress on Neuroinformatics*. Vienna.

- Mikula, S. & Niebur, E. (2001). Large-scale cortical organization of the macaque. In Rattay, F. (Ed.), *Proceedings of World Congress on Neuroinformatics*. Vienna.
- Niebur, E. (2000). Separate but equal: Different kinds of information require different neural representations. In Bothe, H. (Ed.), *Proceedings of the International Congress on Intelligent Systems and Applications (ISA-BIS)*, pp. 1544–9 Wetaskiwin, Canada. ICSC Academic Press.
- Parkhurst, D., Culurciello, E., & Niebur, E. (2000a). Intact visual search performance with variable resolution displays: Effects of low resolution in the peripheral visual field. *Journal of Cognitive Neuroscience*, 94a(suppl.), 36–37.
- Parkhurst, D., Culurciello, E., & Niebur, E. (2000b). Evaluating variable resolution displays with visual search: Task performance and eye movements. In *Proceedings of the ACM Eye Tracking Research and Applications Symposium*, pp. 105–109 New York, NY. ACM.
- Domanski, Z., Erdős, P., Haley, S. B., & Niebur, E. (2000). Chemotactic aggregation of an ensemble of identical living organisms in one dimension. In *16th IMACS WORLD CONGRESS 2000 on Scientific Computation, Applied Mathematics and Simulation*, pp. 1–8 Lausanne, Switzerland. Swiss Federal Institute of Technology.
- Horiuchi, T. & Niebur, E. (1999). Conjunction search using a 1-d analog VLSI-based attentional search/tracking chip. In Wills, S. (Ed.), *Proceedings of the 1999 Conference in Advanced Research in VLSI*, pp. 276–90 Georgia Tech, Atlanta. IEEE.
- Usher, M. & Niebur, E. (1997). Active neural representations: neurophysiological data and theoretical implications. In Peschl, M. & Riegler, A. (Eds.), *New Trends in Cognitive Science*. University of Vienna, Vienna, Austria.
- Niebur, E. & Koch, C. (1996). Control of selective visual attention: Modeling the “where” pathway. In Touretzky, D. S., Mozer, M. C., & Hasselmo, M. E. (Eds.), *Advances in Neural Information Processing Systems*, Vol. 8, pp. 802–808. MIT Press, Cambridge, MA.
- Usher, M. & Niebur, E. (1995). Stimulus-dependent synchronization in a model of orientation-tuned spiking neurons. In Bower, J. M. (Ed.), *Computation and Neural Systems*, Vol. 3, pp. 341–346. Kluwer, Norwell, MA.
- Niebur, E. & Koch, C. (1995). Modeling the “where” visual pathway. In Sejnowski, T. J. (Ed.), *Proceedings of 2nd Joint Symposium on Neural Computation, Caltech–UCSD*, Vol. 5, pp. 26–35. Institute for Neural Computation, La Jolla.

- Niebur, E. & Brettle, D. (1994). Efficient simulation of biological neural networks on massively parallel supercomputers with hypercube architecture. In Cowan, J., Tesauro, G., & Alspector, J. (Eds.), *Advances in Neural Information Processing Systems*, Vol. 6, pp. 904–910. Morgan Kaufmann, San Mateo.
- Niebur, E. & Olshausen, B. (1994). Neurophysiology, psychophysics and computational models of visual attention. In Cowan, J., Tesauro, G., & Alspector, J. (Eds.), *Advances in Neural Information Processing Systems*, Vol. 6, pp. 1167–1168. Morgan Kaufmann, San Mateo.
- Niebur, E. & Wörgötter, F. (1993). Orientation column structures from first principles. In Bower, J. M. (Ed.), *Computation and Neural Systems*, chap. 62, pp. 409–414. Kluwer, Norwell, MA.
- Niebur, E., Wörgötter, F., & Koch, C. (1992). Simulating the cat visual system on the Connection Machine. In *Advanced Computing Laboratory*, pp. 80–81. Los Alamos National Laboratory, Los Alamos.
- Niebur, E., Kammen, D., Koch, C., Ruderman, D., & Schuster, H. G. (1991). Phase coupling in two-dimensional networks of interacting oscillators. In Touretzky, D. & Lippman, R. (Eds.), *Advances in Neural Information Processing Systems 3*, pp. 123–129. Morgan-Kaufmann, San Mateo, CA.
- Niebur, E. & Wörgötter, F. (1991). Influence of the column structure on intracortical long range interactions. In Sayegh, S. (Ed.), *Proceedings of the 3rd Mid-Western Conference on Neural Networks*, pp. 67–74. Purdue Univ. Press, W. Lafayette.
- Niebur, E. & Wörgötter, F. (1990a). Circular inhibition: a new concept in long-range interactions in the mammalian visual cortex. In *Proc. of the International Joint Conference on Neural Networks-San Diego*, pp. II-367 – II-372. IEEE, Piscataway, NJ.
- Niebur, E. & Wörgötter, F. (1990b). Sharpening of orientation selective receptive fields in the mammalian visual cortex by long-range interactions. In Marburger, H. (Ed.), *German Workshop on Artificial Intelligence*, pp. 125–133. Springer Verlag, Berlin-NewYork.
- Niebur, E., Wörgötter, F., & Koch, C. (1990). Structure and function of orientation columns in cat visual cortex: A theoretical study. In Sayegh, S. (Ed.), *Proceedings of the 2nd Conference on Neural Networks and Parallel Distributed Processing*, pp. 67–74. Purdue Research Foundation Press, West Lafayette, IN.
- Niebur, E. (1988). *Théorie du système locomoteur et neuronal des Nématodes*. Ph.D. thesis, Université de Lausanne, Lausanne, Switzerland.

Niebur, E. (1982). Brillouin-Wigner Störungsrechnung in zwischenvalenten Systemen. Master's thesis, Universität Dortmund, Dortmund, W. Germany.

Peer reviewed articles. Skip to end of metadata. Created by Patricia de Rosnay, last modified on Jul 12, 2019.Â Picard, V. Potopova, S. Pullen, D. V. Schuler, and A. Nadir Arslan: "Review of Snow Data Assimilation Methods for Hydrological, Land Surface, Meteorological and Climate Models: Results from a COST HarmoSnow Survey", *Geosciences*, 8(12), 489, 2018, <https://doi.org/10.3390/geosciences8120489>.