

**RN_{ASE} AND DN_{ASE} ACTIVITY AND ISOFORM PATTERNS DURING ADVENTITIOUS
ROOT FORMATION IN CUTTINGS OF *EBENUS CRETICAL*.**

**Thomas Syros^{1,2}, Traianos Yupsanis^{2*}, Ioannis Karsisiotis², Antoanela Patras^{2,3},
and Athanasios Economou^{1,4}**

¹School of Agriculture, Aristotle University, 54124 Thessaloniki, Greece, *E-mail: yupsanis@chem.auth.gr

²School of Chemistry, Aristotle University, 54124 Thessaloniki, Greece

³School of Horticulture, Ion Ionescu de la Brad University, 700490 Iasi, Romania

⁴Institute of Agrobiotechnology, CERTH, 570 01 Themi-Thessaloniki, Greece

REFERENCES

- Abou Auda M. M., Symeonidis L., Hatzistavrou E., Yupsanis T. (2002). Nucleolytic activities and appearance of a new DNase in relation to nickel and manganese accumulation in *Alyssum murale*. *Journal of Plant Physiology*, 159: 1087-1095.
- Auffray C., Rougeon F. (1980). Purification of mouse immunoglobulin heavy-chain messenger RNAs from total myeloma tumor RNA. *European Journal of Biochemistry*, 107: 303-314.
- Bearden J. C. (1978). Quantitation of submicrogram quantities of protein by an improved protein-dye binding assay. *Biochimica and Biophysica Acta*, 533: 525-529.
- Berthon J. Y., Maldiney R., Sotta B., Gaspar T., Boyer N. (1989). Endogenous levels of plant hormones during the course of adventitious rooting in cuttings of *Sequoiadendron giganteum* (Lindl.) *in vitro*. *Biochemie and Physiologia Pflanzen*, 184: 405-412.
- Bhattacharya N. C. (1988). Enzyme activities during adventitious rooting. *In: Davis T. D., Haissig B. E., Sankhla N. (Eds.). Adventitious root formations in cuttings.* Dioscorides Press, Portland, Oregon, 2: 88-101.
- Bhattacharya S., Bhattacharya N. C., Nanda K. K. (1976). Effect of exogenous application of nucleic acids and auxin on the rooting of hypocotyls cuttings of *Impatiens balsamina*. Evidence for the uptake of information molecules. *Experientia*, 32: 1301-1303.
- Brown H. B., Ho T. D. (1987). Biochemical properties and hormonal regulation of barley nuclease. *European Journal of Biochemistry*, 168: 357-364.
- Chang S.-C., Gallie D. R. (1997). RNase activity decreases following a heat shock in wheat leaves and correlates with its posttranscriptional modification. *Plant Physiology*, 113: 1253-1263.
- Duhrssen E., Lanzendorfer M., Neumann K. H. (1984). Comparative investigation on DNA organization of some varieties of *Daucus carota* L. *Zeitschrift für Pflanzenphysiologie*, 113: 223-229.
- Gaspar T., Kevers C., Hausman J. F., Berthon J. Y., Ripetti V. (1992). Practical use of peroxidase activity as a predictive marker of rooting performance of micropropagated shoots. *Agronomie*, 12: 757-765.
- Graf G., Larkins B. A. (1995). Activity of single-stranded DNA endonucleases in mung bean is associated with cell division. *Plant Molecular Biology*, 29: 703-710.
- Green P. J. (1994). The ribonucleases of higher plants. *Annual Revue of Plant Physiology Plant Molecular Biology*, 45: 421-445.
- Haissig B. E. (1982). Activity of some glycolytic and pentose-phosphate pathway enzymes during the development of adventitious roots. *Physiologia Plantarum*, 55: 261-272.
- Hatzilazarou S. P., Syros T. D., Yupsanis T. A., Bosabalidis A. M., Economou A. S. (2006). Peroxidases, lignin and anatomy during *in vitro* and *ex vitro* rooting of gardenia (*Gardenia jasminoides* Ellis) microshoots. *Journal of Plant Physiology*, 163: 827-836.
- Hausman J. F. (1993). Changes in peroxidase activity, auxin level and ethylene production during root formation by poplar shoots raised *in vitro*. *Plant Growth Regulation*, 13: 263-268.
- Jarvis B. C., Shannon P. R. M., Yasmin S. (1983). Influence of IBA and Cordycepin on rooting and RNA synthesis in stem cuttings of *Phaseolus aureus* Roxb. *Plant Cell Physiology*, 24: 139-146.
- Kefalas P. S., Yupsanis T. (1995). Properties and specificity of a calcium dependent endonuclease from germinated

- lentil (*Lens culinaris*). *Journal of Plant Physiology*, 146: 1-9.
- Kevers C., Hausman J. F., Faivre-Rampant O., Evers D., Gaspar T. (1997). Hormonal control of adventitious rooting: Progress and Questions. *Journal of Applied Botany/Angewandte Botanik*, 71: 71-79.
- Laemmli U. K. (1970). Cleavage of structural proteins during the assembly of heads of the bacteriophage T₄. *Nature*, 227: 681-685.
- LeBrasseur N. D., MacIntosh G. C., Perez-Amador M. A., Saitoh M., Green P. J. (2002). Local and systemic wound-induction of RNase and nuclease activities in *Arabidopsis*: RNS1 as a marker for a JA-independent systemic signalling pathway. *Plant Journal*, 29: 393-403.
- Ludwig-Muller J. (2000). Indole-3-butyric acid in plant growth and development. *Plant Growth Regulation*, 32: 219-230.
- Matousek J., Tupy J. (1987). Developmental changes in nuclease and other phosphohydrolase activities in anthers of *Nicotiana tabacum* L. *Journal of Plant Physiology*, 129: 351-362.
- Metaxas D., Syros T., Yupsanis T., Economou A. S. (2004). Peroxidases during adventitious rooting in cuttings of *Arbutus unedo* and *Taxus baccata* as affected by plant genotype and growth regulator treatment. *Plant Growth Regulation*, 44: 257-266.
- Nanda K. K., Bhattacharya N. C. (1973). Electrophoretic separation of ribonucleic acids on polyacrylamide gels in relation to rooting of etiolated stem segments of *Populus nigra*. *Biochemie und Physiologie der Pflanzen*, 164: 632-635.
- Oppenoorth J. M. (1979). Influence of cycloheximide and actinomycin D on initiation and early development of adventitious roots. *Physiologia Plantarum*, 47: 134-138.
- Rout G. R., Samantaray S., Das P. (1999). Root induction in microshoots of *Simarouba glauca* L. *in vitro*: Peroxidase as a marker for rooting. *Silvae Genetica*, 48: 14-17.
- Rout G. R., Samantaray S., Das P. (2000). *In vitro* rooting of *Psoralea corylifolia* Linn: Peroxidase activity as a marker. *Plant Growth Regulation*, 305: 215-219.
- Saxena C., Samantaray S., Rout G. R., Das P. (2000). Effect of auxins on *in vitro* rooting of *Plumbago zeylanica*: Peroxidase activity as a marker for root induction. *Biologia Plantarum*, 43: 121-124.
- Sugiyama M., Ito J., Aoyagi S., Fukuda H. (2000). Endonucleases. *Plant Molecular Biology*, 44: 387-397.
- Syros T., Yupsanis T., Economou A. (2001). Factors affecting the determination of peroxidase activity of *Ebenus cretica* cuttings. A preliminary survey. *Propagation of Ornamental Plants*, 1: 50-53.
- Syros T., Yupsanis T., Economou A. (2003). Fractionation and electrophoretic patterns of storage proteins of *Ebenus cretica*. A preliminary survey as a tool in taxonomy. *Biologia Plantarum*, 46: 435-443.
- Syros T., Yupsanis T., Zafriadis H., Economou A. S. (2004). Activity and isoforms of peroxidases, lignin and anatomy, during adventitious rooting in cuttings of *Ebenus cretica* L. *Journal of Plant Physiology*, 161: 69-77.
- Syros T. D., Yupsanis T. A., Economou A. S. (2005). Expression of peroxidases during seedling growth in *Ebenus cretica* L. as affected by light and temperature treatments. *Plant Growth Regulation*, 46: 143-151.
- Syros T., Kofidis G., Bosabalidis A. M., Economou A. S. (2006a). Leaf structural dynamics associated with adaptation of two *Ebenus cretica* ecotypes. *Biologia Plantarum*, 50: 245-250.
- Syros T. D., Economou A. S., Bosabalidis A. M., Yupsanis T. A. (2006b). *Ebenus cretica* L., a potential new floricultural crop. Anatomical, physiological and biochemical approaches. In: da Silva J. T. (Ed.). *Floriculture, Ornamental and Plant Biotechnology*, Global Science Book, UK: 4: 662-668.
- Thelen M. P., Northcote D. H. (1989). Identification and purification of a nuclease from *Zinnia elegans* L. A potential molecular marker for xylogenesis. *Planta*, 179: 181-195.
- Upadhyaya A., Davis T. D., Sankhla N. (1986). Some biochemical changes associated with paclobutrazol-induced adventitious root formation on bean hypocotyl cuttings. *Annals of Botany*, 57: 309-315.
- Yupsanis T., Georgatsos J. G. (1983). Chromatin-associated nucleases of germinating barley. *International Journal of Biochemistry*, 7: 959-963.
- Yupsanis T., Kefalas P. S., Eleftheriou P., Kotinis K. (2001). RNase and DNase activities in the alfalfa and lentil grown in iso-osmotic solutions of NaCl and mannitol. *Journal of Plant Physiology*, 158: 921-927.
- Yupsanis T., Pantazaki A. (1988). Specificity of chromatin-associated barley nucleases towards a synthetic deoxynucleotide. *Journal of Experimental Botany*, 207: 1469-1473.
- Yupsanis T., Symeonidis L. (2001). A *Thinopyrum ponticum* and *Triticum aestivum* hybrid. Electrophoretic patterns of their endogenous phosphorylation, Diphosphonucleoside kinases, DNases and RNases. *Theoretical and Applied Genetics*, 102: 782-786.
- Yupsanis T., Symeonidis L., Kalemi T., Moustaka H., Yupsani A. (2004). Purification, properties and specificity of an endonuclease from *Agropyron elongatum* seedlings. *Plant Physiology and Biochemistry*, 42: 767-776.

Adventitious rooting of *Ebenus cretica* cuttings was studied in order to examine a) the rooting ability of different genotypes in relation to...Â Activity and isoforms of peroxidases, lignin and anatomy, during adventitious rooting in cuttings of *Ebenus cretica* L. Thomas Syros, Traianos Yupsanis, Helias Zafiriadis, Athanasios Economou. Published: 1 January 2004.