



# **Turbulence Modeling for CFD**

by

**David C. Wilcox**

**DCW Industries, Inc.  
La Cañada, California**

*Dedicated to my Wife*

BARBARA

*my Children*

KINLEY and BOB

*and my Dad*

### **Turbulence Modeling for CFD**

Copyright © 1993, 1994 by DCW Industries, Inc. All rights reserved.

First Printing: July, 1993

Second Printing: November, 1994 (with corrections)

No part of this book may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording, or any information storage and retrieval system, without permission in writing from DCW Industries, Inc.

DCW Industries, Inc.  
5354 Palm Drive, La Cañada, California 91011  
818/790-3844 (FAX) 818/952-1272

This book was prepared with  $\text{\LaTeX}$ , and was printed in the United States of America by Griffin Printing, Glendale, California.

### **Library of Congress Cataloging in Publication Data**

Wilcox, David C.

Turbulence Modeling for CFD / David C. Wilcox—1st ed.

Includes bibliography, index and  $3\frac{1}{2}$  inch floppy disk.

1. Turbulence—Mathematical Models.

2. Fluid Dynamics—Mathematical Models.

TA357.5.T87 W542 1993

93-224752

ISBN 0-9636051-0-0

# About the Author

**Dr. David C. Wilcox**, was born in Wilmington, Delaware. He did his undergraduate studies from 1963 to 1966 at the Massachusetts Institute of Technology, graduating with a Bachelor of Science degree in Aeronautics and Astronautics. From 1966 to 1967, he was an Engineer Scientist Specialist at McDonnell Douglas Aircraft Division in Long Beach, California, working for A. M. O. Smith. His experience with McDonnell Douglas was primarily in subsonic and transonic flow calculations. From 1967 to 1970, he attended the California Institute of Technology, graduating with a Ph.D. in Aeronautics. In 1970 he joined TRW Systems, Inc. in Redondo Beach, California, as a Member of the Technical Staff. He performed studies of both high- and low-speed fluid-mechanical and heat-transfer problems, such as turbulent hypersonic flow and thermal radiation from a flame. From 1972 to 1973, he was a staff scientist for Applied Theory, Inc., in Los Angeles, California, responsible for scientific-project management. He participated directly in many research efforts involving numerical computation and analysis of a wide range of fluid flows such as separated turbulent flow, transitional flow and hypersonic plume-body interaction. In 1973, he founded DCW Industries, Inc., a La Cañada, California firm engaged in engineering research, software development and publishing, for which he is currently the President. He has taught several fluid mechanics and applied mathematics courses at the University of Southern California and at the University of California, Los Angeles.

Dr. Wilcox has published many papers and reports on turbulence modeling, computational fluid dynamics, boundary-layer separation, boundary-layer transition, thermal radiation, and rapidly rotating fluids. He is an Associate Fellow of the American Institute of Aeronautics and Astronautics (AIAA) and has served as an Associate Editor for the AIAA Journal.

# Contents

|   |             |
|---|-------------|
| <b>Notation</b>   | <b>xi</b>   |
| <b>Preface</b>  | <b>xvii</b> |
| <b>1 Introduction</b>   | <b>1</b>    |
| 1.1 Definition of an Ideal Turbulence Model . . . . .         | 1           |
| 1.2 How Complex Does a Turbulence Model Have to Be? . . . . . | 1           |
| 1.3 Comments on the Physics of Turbulence . . . . .           | 2           |
| 1.4 A Brief History of Turbulence Modeling . . . . .          | 5           |
| <b>2 The Closure Problem</b>                                  | <b>11</b>   |
| 2.1 Reynolds Averaging . . . . .                              | 11          |
| 2.2 Correlations . . . . .                                    | 15          |
| 2.3 Reynolds-Averaged Equations . . . . .                     | 15          |
| 2.4 The Reynolds-Stress Equation . . . . .                    | 17          |
| <b>3 Algebraic Models</b>                                     | <b>23</b>   |
| 3.1 Molecular Transport of Momentum . . . . .                 | 24          |
| 3.2 The Mixing-Length Hypothesis . . . . .                    | 27          |
| 3.3 Application to Free Shear Flows . . . . .                 | 30          |
| 3.3.1 The Far Wake . . . . .                                  | 32          |
| 3.3.2 The Mixing Layer . . . . .                              | 38          |
| 3.3.3 The Jet . . . . .                                       | 41          |
| 3.4 Modern Variants of the Mixing-Length Model . . . . .      | 44          |
| 3.4.1 Cebeci-Smith Model . . . . .                            | 50          |
| 3.4.2 Baldwin-Lomax Model . . . . .                           | 52          |
| 3.5 Application to Wall-Bounded Flows . . . . .               | 53          |
| 3.5.1 Channel and Pipe Flow . . . . .                         | 53          |
| 3.5.2 Boundary Layers . . . . .                               | 59          |
| 3.6 Separated Flows . . . . .                                 | 61          |

|          |   |            |
|----------|---|------------|
| 3.7      | The 1/2-Equation Model . . . . .                      | 65         |
| 3.8      | Range of Applicability . . . . .                      | 67         |
| <b>4</b> | <b>Turbulence Energy Equation Models</b>              | <b>73</b>  |
| 4.1      | The Turbulence Energy Equation . . . . .              | 74         |
| 4.2      | One-Equation Models . . . . .                         | 77         |
| 4.3      | Two-Equation Models . . . . .                         | 83         |
| 4.3.1    | The $k$ - $\omega$ Model . . . . .                    | 84         |
| 4.3.2    | The $k$ - $\epsilon$ Model . . . . .                  | 87         |
| 4.3.3    | Other Two-Equation Models . . . . .                   | 90         |
| 4.4      | Closure Coefficients . . . . .                        | 92         |
| 4.5      | Application to Free Shear Flows . . . . .             | 95         |
| 4.6      | Perturbation Analysis of the Boundary Layer . . . . . | 104        |
| 4.6.1    | The Log Layer . . . . .                               | 105        |
| 4.6.2    | The Defect Layer . . . . .                            | 110        |
| 4.6.3    | The Viscous Sublayer . . . . .                        | 122        |
| 4.7      | Surface Boundary Conditions . . . . .                 | 126        |
| 4.7.1    | Wall Functions . . . . .                              | 126        |
| 4.7.2    | Surface Roughness . . . . .                           | 128        |
| 4.7.3    | Surface Mass Injection . . . . .                      | 131        |
| 4.8      | Application to Wall-Bounded Flows . . . . .           | 131        |
| 4.8.1    | Channel and Pipe Flow . . . . .                       | 132        |
| 4.8.2    | Boundary Layers . . . . .                             | 133        |
| 4.9      | Low-Reynolds-Number Effects . . . . .                 | 138        |
| 4.9.1    | Asymptotic Consistency . . . . .                      | 138        |
| 4.9.2    | Transition . . . . .                                  | 146        |
| 4.10     | Separated Flows . . . . .                             | 160        |
| 4.11     | Range of Applicability . . . . .                      | 163        |
| <b>5</b> | <b>Effects of Compressibility</b>                     | <b>171</b> |
| 5.1      | Physical Considerations . . . . .                     | 171        |
| 5.2      | Favre Averaging . . . . .                             | 172        |
| 5.3      | Favre-Averaged Equations . . . . .                    | 174        |
| 5.4      | Compressible-Flow Closure Approximations . . . . .    | 180        |
| 5.5      | Dilatation Dissipation . . . . .                      | 183        |
| 5.6      | Compressible Law of the Wall . . . . .                | 189        |
| 5.7      | Compressible Boundary Layers . . . . .                | 195        |
| 5.8      | Shock-Induced Boundary-Layer Separation . . . . .     | 203        |

|          |  |            |
|----------|--|------------|
| <b>6</b> | <b>Beyond the Boussinesq Approximation</b>           | <b>213</b> |
| 6.1      | Boussinesq-Approximation Deficiencies . . . . .      | 213        |
| 6.2      | Nonlinear Constitutive Relations . . . . .           | 218        |
| 6.3      | Second-Order Closure Models . . . . .                | 223        |
| 6.3.1    | Closure Approximations . . . . .                     | 224        |
| 6.3.2    | Launder-Reece-Rodi Model . . . . .                   | 231        |
| 6.3.3    | Wilcox Multiscale Model . . . . .                    | 232        |
| 6.4      | Application to Homogeneous Turbulent Flows . . . . . | 235        |
| 6.5      | Application to Free Shear Flows . . . . .            | 242        |
| 6.6      | Application to Wall-Bounded Flows . . . . .          | 243        |
| 6.6.1    | Surface Boundary Conditions . . . . .                | 244        |
| 6.6.2    | Channel and Pipe Flow . . . . .                      | 248        |
| 6.6.3    | Boundary Layers . . . . .                            | 253        |
| 6.7      | Application to Separated Flows . . . . .             | 261        |
| 6.8      | Range of Applicability . . . . .                     | 266        |
| <b>7</b> | <b>Numerical Considerations</b>                      | <b>273</b> |
| 7.1      | Multiple Time Scales and Stiffness . . . . .         | 273        |
| 7.2      | Numerical Accuracy Near Boundaries . . . . .         | 275        |
| 7.2.1    | Solid Surfaces . . . . .                             | 275        |
| 7.2.2    | Turbulent/Nonturbulent Interfaces . . . . .          | 279        |
| 7.3      | Parabolic Marching Methods . . . . .                 | 287        |
| 7.4      | Elementary Time-Marching Methods . . . . .           | 292        |
| 7.5      | Block-Implicit Methods . . . . .                     | 297        |
| 7.6      | Solution Convergence and Grid Sensitivity . . . . .  | 303        |
| <b>8</b> | <b>New Horizons</b>                                  | <b>313</b> |
| 8.1      | Background Information . . . . .                     | 313        |
| 8.2      | Direct Numerical Simulation . . . . .                | 316        |
| 8.3      | Large Eddy Simulation . . . . .                      | 322        |
| 8.4      | Chaos . . . . .                                      | 328        |
| <b>A</b> | <b>Cartesian Tensor Analysis</b>                     | <b>331</b> |
| <b>B</b> | <b>Rudiments of Perturbation Methods</b>             | <b>337</b> |
| <b>C</b> | <b>Companion Software</b>                            | <b>349</b> |
| C.1      | Overview . . . . .                                   | 349        |
| C.1.1    | Program Structure . . . . .                          | 350        |
| C.1.2    | Program Input . . . . .                              | 351        |
| C.1.3    | Program Output . . . . .                             | 352        |
| C.2      | Free Shear Flows . . . . .                           | 353        |

|          |  |            |
|----------|--|------------|
| C.2.1    | Program WAKE: Far Wake . . . . .                       | 355        |
| C.2.2    | Program MIXER: Mixing Layer . . . . .                  | 357        |
| C.2.3    | Program JET: Plane, Round and Radial Jet . . . . .     | 359        |
| C.2.4    | Program PLOTFF: Plotting Utility . . . . .             | 361        |
| C.3      | Channel and Pipe Flow . . . . .                        | 364        |
| C.3.1    | Program PIPE: Channel and Pipe Flow . . . . .          | 365        |
| C.3.2    | Program PLOTP: Plotting Utility . . . . .              | 367        |
| C.4      | Boundary-Layer Perturbation Analysis . . . . .         | 371        |
| C.4.1    | Program SUBLAY: Viscous Sublayer . . . . .             | 373        |
| C.4.2    | Program DEFECT: Defect Layer . . . . .                 | 375        |
| C.4.3    | Program PLOTS: Sublayer Plotting Utility . . . . .     | 376        |
| C.4.4    | Program PLOTD: Defect-Layer Plotting Utility . . . . . | 379        |
| C.5      | Miscellaneous Routines . . . . .                       | 382        |
| C.5.1    | Function ERF: Error Function . . . . .                 | 383        |
| C.5.2    | Subroutine NAMSYS: Fortran Portability . . . . .       | 384        |
| C.5.3    | Subroutine RKGS: Runge-Kutta Integration . . . . .     | 386        |
| C.5.4    | Subroutine RTNI: Newton's Iterations . . . . .         | 388        |
| C.5.5    | Subroutine TRI: Tridiagonal Matrix Inversion . . . . . | 389        |
| C.6      | Diskette Contents . . . . .                            | 390        |
| <b>D</b> | <b>Program EDDYBL</b> . . . . .                        | <b>391</b> |
| D.1      | Overview . . . . .                                     | 391        |
| D.1.1    | Acknowledgments . . . . .                              | 391        |
| D.1.2    | Required Hardware and Software . . . . .               | 392        |
| D.2      | Getting Started Quickly . . . . .                      | 392        |
| D.3      | Installing SETEBL . . . . .                            | 397        |
| D.3.1    | Boot-Console Installation . . . . .                    | 397        |
| D.3.2    | Remote-Terminal Installation . . . . .                 | 398        |
| D.4      | Installing EDDYBL . . . . .                            | 398        |
| D.5      | Running a General Case . . . . .                       | 399        |
| D.5.1    | Preliminary Operations . . . . .                       | 399        |
| D.5.2    | Units Selection . . . . .                              | 400        |
| D.5.3    | Main Parameters . . . . .                              | 400        |
| D.5.4    | Taking a Lunch Break . . . . .                         | 402        |
| D.5.5    | Edge/Wall Conditions . . . . .                         | 403        |
| D.5.6    | Preparing Edge/Wall Condition Data Files . . . . .     | 404        |
| D.5.7    | Generating Edge/Wall Conditions . . . . .              | 406        |
| D.5.8    | Initial Profiles . . . . .                             | 406        |
| D.5.9    | Selecting a Turbulence Model . . . . .                 | 408        |
| D.5.10   | Logical Unit Numbers and Plotting Files . . . . .      | 408        |
| D.5.11   | Running the Boundary-Layer Program . . . . .           | 410        |
| D.5.12   | Restart Run . . . . .                                  | 410        |



|  |            |
|--|------------|
| D.5.13 Gas Properties and Profile Printing . . . . .               | 411        |
| D.5.14 Selecting Laminar, Transitional or Turbulent Flow . . . . . | 412        |
| D.6 Applicability and Limitations . . . . .                        | 412        |
| D.7 EDDYBL Output Parameters . . . . .                             | 413        |
| D.8 Program PLOTEB: Plotting Utility . . . . .                     | 415        |
| D.9 Adapting to Other Compilers/Systems . . . . .                  | 419        |
| D.10 Compile and Link Commands . . . . .                           | 420        |
| D.11 Additional Technical Information . . . . .                    | 423        |
| D.11.1 Mean-Flow Equations . . . . .                               | 423        |
| D.11.2 $k$ - $\omega$ and Multiscale Model Equations . . . . .     | 424        |
| D.11.3 $k$ - $\epsilon$ Model Equations . . . . .                  | 426        |
| D.11.4 Transformed Equations . . . . .                             | 429        |
| D.12 Software Package Modules . . . . .                            | 432        |
| <b>E Plotting Program Details</b>                                  | <b>433</b> |
| E.1 Font Files . . . . .   | 433        |
| E.2 Video Devices . . . . .  | 433        |
| E.3 Plotting Colors . . . . .                                      | 435        |
| E.4 Hardcopy Devices . . . . .                                     | 435        |
| <b>Bibliography</b>  | <b>437</b> |
| <b>Index</b>   | <b>456</b> |

# Notation

This section includes the most commonly used notation in this book. In order to avoid departing too much from conventions normally used in literature on turbulence modeling and general fluid mechanics, a few symbols denote more than one quantity.

## English Symbols

| Symbol                   | Definition  |
|--------------------------|---|
| $a$                      | Speed of sound  |
| $a_{ijk}$                | Rapid pressure-strain tensor  |
| $A_n, B_n, C_n, D_n$     | Coefficients in tridiagonal matrix equation   |
| $A_0^+$                  | Van Driest damping constant   |
| $A_{ij}$                 | Slow pressure-strain tensor   |
| $b_{ij}$                 | Dimensionless Reynolds-stress anisotropy tensor                                     |
| $B$                      | Additive constant in the law of the wall  |
| $c_{b1}, c_{b2}$         | Closure coefficients  |
| $c_f$                    | Skin friction based on edge velocity, $\tau_w / (\frac{1}{2}\rho U_e^2)$            |
| $c_{f\infty}$            | Skin friction based on freestream velocity, $\tau_w / (\frac{1}{2}\rho U_\infty^2)$ |
| $c_{w1}, c_{w2}, c_{w3}$ | Closure coefficients  |
| $C_1, C_2$               | Closure coefficients  |
| $C_{cp}, C_{wk}$         | Closure coefficients  |
| $C_D, C_E$               | Closure coefficients  |
| $C_{dij}, C_{Kleb}$      | Closure coefficients  |
| $C_K$                    | Kolmogorov constant   |
| $C_{L1}, C_{L2}$         | Closure coefficients  |
| $C_p$                    | Specific heat at constant pressure; pressure coefficient                            |
| $C_s, C_\epsilon$        | Closure coefficients  |
| $C_S$                    | Smagorinsky constant  |
| $C_v$                    | Specific heat at constant volume  |
| $C_\delta$               | Shear-layer spreading rate  |

|  |  |
|--|--|
| $C_{\epsilon 1}, C_{\epsilon 2}, C_{\epsilon 3}$ | Closure coefficients   |
| $C_{\tau 1}, C_{\tau 2}$                         | Closure coefficients   |
| $C_{\mu}$  | Closure coefficient  |
| $C_{ij}$   | LES cross-term stress tensor   |
| $C_{ijk}$  | Turbulent transport tensor   |
| $D$  | Drag per unit body width   |
| $D_{ij}$   | Production tensor, $\tau_{im}\partial U_m/\partial x_j + \tau_{jm}\partial U_m/\partial x_i$ |
| $e$  | Specific internal energy ; small-eddy energy   |
| $E$  | Total energy; viscous damping function   |
| $E(\kappa)$                                      | Energy spectral density  |
| $E(\eta)$  | Dimensionless self-similar dissipation rate  |
| $E_h$  | Discretization error   |
| $f_{\mu}, f_1, f_2, f_s$                         | Viscous damping functions  |
| $\mathbf{f}, \mathbf{f}_v$                       | Turbulence flux vectors  |
| $F(\eta)$  | Dimensionless self-similar streamfunction  |
| $F_{Kleb}(y; \delta)$                            | Klebanoff intermittency function   |
| $\mathbf{F}, \mathbf{F}_v$                       | Mean-flow flux vectors   |
| $G$  | Amplitude factor in von Neumann stability analysis   |
| $G(\mathbf{x} - \boldsymbol{\xi})$               | LES filter   |
| $h$  | Specific enthalpy  |
| $H$  | Total enthalpy; channel height; shape factor, $\delta^*/\theta$                              |
| $\mathcal{H}(x)$                                 | Heaviside step function  |
| $\mathbf{i}, \mathbf{j}, \mathbf{k}$             | Unit vectors in $x, y, z$ directions   |
| $I$  | Unit (identity) matrix   |
| $II, III$  | Stress tensor invariants   |
| $j$  | Two-dimensional ( $j = 0$ ), axisymmetric ( $j = 1$ ) index                                  |
| $J$  | Specific momentum flux (flux per unit mass)  |
| $k$  | Kinetic energy of turbulent fluctuations per unit mass                                       |
| $k_g$  | Geometric progression ratio  |
| $k_R$  | Surface roughness height   |
| $K$  | Distortion parameter   |
| $K(\eta)$  | Dimensionless self-similar turbulence kinetic energy   |
| $K_{\epsilon}, K_{\omega}$                       | Effective Kármán constant for compressible flows   |
| $Kn$   | Knudsen number   |
| $\ell$   | Turbulence length scale; characteristic eddy size  |
| $\ell_{mfp}$                                     | Mean free path   |
| $\ell_{mix}$                                     | Mixing length  |
| $L$  | Characteristic length scale  |
| $L_{ij}$   | Leonard stress tensor  |
| $M$  | Mach number  |
| $M_{ijkl}$                                       | Rapid pressure-strain tensor   |
| $M_c$  | Convective Mach number   |

|                                       |  |
|---------------------------------------|--|
| $M_t$                                 | Turbulence Mach number, $\sqrt{2k}/a$  |
| $M_{t0}$                              | Closure coefficient  |
| $N(\eta)$                             | Dimensionless self-similar eddy viscosity  |
| $N_{CFL}$                             | CFL number   |
| $N_w$                                 | Constant in near-wall solution for $\omega$  |
| $\mathcal{N}(u_i)$                    | Navier-Stokes operator   |
| $p$                                   | Instantaneous static pressure  |
| $P_{ij}$                              | Instantaneous momentum-flux tensor   |
| $P$                                   | Mean static pressure   |
| $P_{ij}$                              | Production tensor, $\tau_{im}\partial U_j/\partial x_m + \tau_{jm}\partial U_i/\partial x_m$ |
| $P_k, P_\omega, P_\epsilon$           | Net production per unit dissipation of $k, \omega, \epsilon$                                 |
| $Pr_L, Pr_T$                          | Laminar, turbulent Prandtl number  |
| $q_j$                                 | Heat-flux vector   |
| $q_w$                                 | Surface heat flux  |
| $q_{Lj}, q_{Tj}$                      | Laminar, turbulent mean heat-flux vector   |
| $Q_{ij}$                              | LES stress tensor, $C_{ij} + R_{ij}$   |
| $\mathbf{Q}$                          | Dependent variable vector  |
| $r, \theta, x$                        | Cylindrical polar coordinates  |
| $R$                                   | Pipe radius; channel half height; perfect gas constant                                       |
| $R_{ij}$                              | SGS Reynolds stress tensor   |
| $R_{ij}(\mathbf{x}, t; \mathbf{r})$   | Two-point velocity correlation tensor  |
| $\mathcal{R}$                         | Radius of curvature  |
| $\mathcal{R}_{ij}(\mathbf{x}, t; t')$ | Autocorrelation tensor   |
| $R^+$                                 | Sublayer scaled radius or half height, $u_\tau R/\nu$  |
| $R_\beta, R_k, R_w$                   | Closure coefficients in viscous damping functions  |
| $Re_L$                                | Reynolds number based on length $L$  |
| $Re_T$                                | Turbulence Reynolds number, $k^{1/2}\ell/\nu$  |
| $Re_\tau$                             | Sublayer scaled radius or half height, $R^+$   |
| $Ri_T$                                | Turbulence Richardson number   |
| $R_y$                                 | Near-wall turbulence Reynolds number, $k^{1/2}y/\nu$   |
| $s_{ij}$                              | Instantaneous strain-rate tensor   |
| $\mathbf{s}, \mathbf{S}$              | Source-term vectors  |
| $S$                                   | Source term — production minus dissipation   |
| $S_{ij}$                              | Mean strain-rate tensor  |
| $\overset{\circ}{S}_{ij}$             | Oldroyd derivative of $S_{ij}$   |
| $S_e, S_k, S_u, S_w$                  | Source terms in a similarity solution  |
| $S_B$                                 | Dimensionless surface mass injection function  |
| $S_R$                                 | Dimensionless surface roughness function   |
| $t$                                   | Time   |
| $t_{ij}$                              | Instantaneous viscous stress tensor  |
| $T$                                   | Temperature; characteristic time scale   |

|                                   |   |
|-----------------------------------|---|
| $T'$                              | Freestream turbulence intensity                               |
| $u, v, w$                         | Instantaneous velocity components in $x, y, z$ directions     |
| $u_i$                             | Instantaneous velocity in tensor notation                     |
| $\mathbf{u}$                      | Instantaneous velocity in vector notation                     |
| $u', v', w'$                      | Fluctuating velocity components in $x, y, z$ directions       |
| $u'_i$                            | Fluctuating velocity in tensor notation                       |
| $\mathbf{u}'$                     | Fluctuating velocity in vector notation                       |
| $\tilde{u}, \tilde{v}, \tilde{w}$ | Favre-averaged velocity components in $x, y, z$ directions    |
| $\tilde{u}_i$                     | Favre-averaged velocity in tensor notation                    |
| $\tilde{\mathbf{u}}$              | Favre-averaged velocity in vector notation                    |
| $u'', v'', w''$                   | Favre fluctuating velocity components in $x, y, z$ directions |
| $u''_i$                           | Favre fluctuating velocity in tensor notation                 |
| $\mathbf{u}''$                    | Favre fluctuating velocity; fluctuating molecular velocity    |
| $u_{rms}, v_{rms}$                | RMS fluctuating velocity components in $x, y$ directions      |
| $\overline{u'_i u'_j}$            | Temporal average of fluctuating velocities                    |
| $u_\tau$                          | Friction velocity, $\sqrt{\tau_w / \rho_w}$                   |
| $\hat{\mathbf{u}}$                | Velocity perturbation vector                                  |
| $U, V, W$                         | Mean velocity components in $x, y, z$ directions              |
| $U_i$                             | Mean velocity in tensor notation                              |
| $\mathbf{U}$                      | Mean velocity in vector notation                              |
| $U^+$                             | Dimensionless, sublayer-scaled, velocity, $U/u_\tau$          |
| $U_m$                             | Maximum or centerline velocity                                |
| $\mathcal{U}(\eta)$               | Dimensionless self-similar streamwise velocity                |
| $v_{mix}$                         | Mixing velocity   |
| $v_{th}$                          | Thermal velocity  |
| $v_w$                             | Surface injection velocity                                    |
| $\mathcal{V}(\eta)$               | Dimensionless self-similar normal velocity                    |
| $W(\eta)$                         | Dimensionless self-similar specific dissipation rate          |
| $x, y, z$                         | Rectangular Cartesian coordinates                             |
| $x_i$                             | Position vector in tensor notation                            |
| $\mathbf{x}$                      | Position vector in vector notation                            |
| $y^+$                             | Dimensionless, sublayer-scaled, distance, $u_\tau y / \nu$    |
| $y_2^+$                           | $y^+$ at first grid point above surface                       |
| $y_m$                             | Inner/outer layer matching point                              |

## Greek Symbols

| Symbol                                    | Definition  |
|---|---|
| $\alpha, \alpha^*$                        | Closure coefficients                              |
| $\hat{\alpha}, \hat{\beta}, \hat{\gamma}$ | Closure coefficients                              |
| $\alpha_o, \alpha_o^*$                    | Closure coefficients in viscous damping functions |

|   |   |
|---|---|
| $\alpha_T, \sigma_T, \omega_T$                  | Defect-layer similarity parameters  |
| $\beta, \beta^*$                                | Closure coefficients  |
| $\beta_T$                                       | Equilibrium parameter, $(\delta^*/\tau_w)dP/dx$   |
| $\gamma$  | Specific heat ratio, $C_p/C_v$  |
| $\delta$  | Boundary layer or shear layer thickness   |
| $\delta^*$                                      | Displacement thickness, $\int_0^\delta \left(1 - \frac{\rho}{\rho_e} \frac{U}{U_e}\right) dy$           |
| $\delta_v^*$                                    | Velocity thickness, $\int_0^\delta \left(1 - \frac{U}{U_e}\right) dy$                                   |
| $\delta_x$                                      | Finite-difference matrix operator   |
| $\delta_{ij}$                                   | Kronecker delta   |
| $\Delta$  | LES filter width  |
| $\Delta(x)$                                     | Clauser thickness, $U_e \delta^*/u_\tau$  |
| $\Delta \mathbf{Q}, \Delta x, \Delta y$         | Incremental change in $\mathbf{Q}, x, y$  |
| $\Delta t$                                      | Timestep  |
| $\epsilon$                                      | Dissipation per unit mass   |
| $\epsilon_d$                                    | Dilatation dissipation  |
| $\epsilon_s$                                    | Solenoidal dissipation  |
| $\epsilon_{ij}$                                 | Dissipation tensor  |
| $\epsilon_{ijk}$                                | Permutation tensor  |
| $\zeta$   | Second viscosity coefficient  |
| $\eta$  | Kolmogorov length scale; similarity variable  |
| $\theta$  | Momentum thickness, $\int_0^\delta \frac{\rho}{\rho_e} \frac{U}{U_e} \left(1 - \frac{U}{U_e}\right) dy$ |
| $\kappa$  | Kármán constant; thermal conductivity; wavenumber   |
| $\kappa_v$                                      | Effective Kármán constant for flows with mass injection   |
| $\lambda$                                       | Taylor microscale   |
| $\lambda_{max}$                                 | Largest eigenvalue  |
| $\mu$   | Molecular viscosity   |
| $\mu_T$   | Eddy viscosity  |
| $\mu_{T_i}$                                     | Inner-layer eddy viscosity  |
| $\mu_{T_o}$                                     | Outer-layer eddy viscosity  |
| $\nu$   | Kinematic molecular viscosity, $\mu/\rho$   |
| $\nu_T$   | Kinematic eddy viscosity, $\mu_T/\rho$  |
| $\xi$   | Dimensionless streamwise distance   |
| $\xi^*, \hat{\xi}$                              | Closure coefficients  |
| $\tilde{\pi}$                                   | Coles' wake-strength parameter  |
| $\Pi_{ij}$                                      | Pressure-strain correlation tensor  |
| $\rho$  | Mass density  |
| $\sigma, \sigma^*$                              | Closure coefficients  |
| $\sigma_k, \sigma_\epsilon$                     | Closure coefficients  |
| $\sigma_{L1}, \sigma_{L2}$                      | Closure coefficients  |
| $\sigma_\tau, \sigma_{\tau 1}, \sigma_{\tau 2}$ | Closure coefficients  |

|                                      |  |
|--------------------------------------|--|
| $\sigma(\mathbf{x})$                 | Nonequilibrium parameter                                 |
| $\sigma_{ij}$                        | Instantaneous total stress tensor                        |
| $\tau$                               | Kolmogorov time scale; turbulence dissipation time       |
| $\tau_{ij}$                          | Reynolds stress tensor                                   |
| $\tau_{turnover}$                    | Eddy turnover time                                       |
| $\tau_{xy}$                          | Reynolds shear stress                                    |
| $\tau_{xx}, \tau_{yy}, \tau_{zz}$    | Normal Reynolds stresses                                 |
| $\tau_w$                             | Surface shear stress                                     |
| $\nu$                                | Kolmogorov velocity scale; closure coefficient           |
| $\phi$                               | Dimensionless parameter, $(\nu_w / \rho u_\tau^3) dP/dx$ |
| $\chi$                               | Free shear layer closure coefficient                     |
| $\psi$                               | Streamfunction   |
| $\psi_k, \psi_\epsilon, \psi_\omega$ | Parabolic marching scheme coefficients                   |
| $\omega$                             | Specific dissipation rate; vorticity vector magnitude    |

## Other

| Symbol                                  | Definition                      |
|---|---------------------------------|
| $\partial\mathbf{f}/\partial\mathbf{q}$ | Turbulence flux-Jacobian matrix |
| $\partial\mathbf{F}/\partial\mathbf{Q}$ | Mean-flow flux-Jacobian matrix  |
| $\partial\mathbf{s}/\partial\mathbf{q}$ | Source-Jacobian matrix          |

## Subscripts

| Symbol     | Definition                  |
|------------|-----------------------------|
| <i>DNS</i> | Direct Numerical Simulation |
| <i>e</i>   | Boundary-layer-edge value   |
| <i>eq</i>  | Equilibrium value           |
| <i>LES</i> | Large Eddy Simulation       |
| <i>o</i>   | Centerline value            |
| <i>v</i>   | Viscous                     |
| <i>w</i>   | Wall (surface) value        |
| $\infty$   | Freestream value            |

## Superscripts

| Symbol | Definition            |
|--------|-----------------------|
| +      | Sublayer-scaled value |

# Preface

This book has been developed from the author's lecture notes used in presenting a post-graduate course on turbulence modeling at the University of Southern California. While several computational fluid dynamics (CFD) texts include some information about turbulence modeling, very few texts dealing exclusively with turbulence modeling have been written. As a consequence, turbulence modeling is regarded by many CFD researchers as "black magic," lacking in rigor and physical foundation. This book has been written to show that turbulence modeling can be done in a systematic and physically sound manner. This is not to say all turbulence modeling has been done in such a manner, for indeed many ill-conceived and ill-fated turbulence models have appeared in engineering journals. Even this author, early in his career, devised a turbulence model that violated Galilean invariance of the time-averaged Navier-Stokes equations! However, with judicious use of relatively simple mathematical tools, systematic construction of a well-founded turbulence model is not only possible but can be an exciting and challenging research project.

Thus, the primary goal of this book is to provide a systematic approach to developing a set of constitutive equations suitable for computation of turbulent flows. The engineer who feels no existing turbulence model is suitable for his or her needs and wishes to modify an existing model or to devise a new model will benefit from this feature of the text. A methodology is presented in Chapters 3 and 4 for devising and testing such equations. The methodology is illustrated in great detail for two-equation turbulence models. However, it is by no means limited to such models and is used again in Chapter 6 for a full Reynolds-stress model, but with less detail.

A secondary goal of this book is to provide a rational way for deciding how complex a model is needed for a given problem. The engineer who wishes to select an existing model that is sufficient for his or her needs will benefit most from this feature of the text. Chapter 3 begins with the simplest turbulence models and subsequent chapters chart a course leading to some of the most complex models that have been applied to a nontrivial



turbulent flow problem. Two things are done at each level of complexity. First, the range of applicability of the model is estimated. Second, many of the applications are repeated for all of the models to illustrate how accuracy changes with complexity.

The methodology makes extensive use of tensor analysis, similarity solutions, singular perturbation methods, and numerical procedures. The text assumes the user has limited prior knowledge of these mathematical concepts and provides what is needed both in the main text and in the Appendices. For example, Appendix A introduces rudiments of tensor analysis to facilitate manipulation of the Navier-Stokes equation, which is done extensively in Chapter 2. Chapter 3 shows, in detail, the way a similarity solution is generated. Similarity solutions are then obtained for the turbulent mixing layer, jet and far wake. Appendix B presents elements of singular perturbation theory. Chapters 4, 5 and 6 use the methods to dissect model-predicted features of the turbulent boundary layer.

No book on turbulence-model equations is complete without a discussion of numerical solution methods. Anyone who has ever tried to obtain a numerical solution to a set of turbulence transport equations can attest to this. Often, standard numerical procedures just won't work and alternative methods must be found to obtain accurate converged solutions. Chapter 7 focuses on numerical methods and elucidates some of the commonly encountered problems such as stiffness, sharp turbulent-nonturbulent interfaces, and difficulties attending turbulence related time scales.

The concluding chapter presents a brief overview of new horizons including direct numerical simulation (DNS), large-eddy simulation (LES) and the interesting mathematical theory of chaos.

Because turbulence modeling is a key ingredient in CFD work, the text would be incomplete without companion software implementing numerical solutions to standard turbulence model equations. Appendices C and D describe several computer programs that are included on the floppy disk accompanying the book. The programs all have a similar structure and can be easily modified to include new turbulence models.

The material presented in this book is appropriate for a one-semester, first or second year graduate course, or as a reference text for a CFD course. Successful study of this material requires an understanding of viscous-flow and boundary-layer theory. Some degree of proficiency in solving partial differential equations is also needed. A knowledge of computer programming, preferably in FORTRAN, will help the reader gain maximum benefit from the companion software described in the Appendices.

I extend my thanks to Dr. L. G. Redekopp of USC for encouraging and supporting development of the course for which this book is intended. A friend of many years, Dr. P. Bradshaw, reviewed the entire manuscript as I

wrote it, and taught me a lot through numerous discussions, comments and suggestions that greatly improved the final draft. Another long time friend, Dr. D. D. Knight, helped me understand why I had to write this book, reviewed the manuscript from cover to cover and offered a great deal of physical and computational insight in the process. My favorite mathematics teacher, Dr. D. S. Cohen, made sure I omitted the dot over every  $\iota$  and crossed every  $z$  in Appendix B. Drs. F. R. Menter and C. C. Horstman were kind enough to provide results of several of their computations in digital form. Thanks are also due for the support and help of several friends and colleagues, most notably Drs. P. J. Roache, C. G. Speziale and R. M. C. So.

I thank the nine students who were the first to take the course that this book was written for. Their patience was especially noteworthy, particularly in regard to typographical errors in the homework problems! That outstanding group of young engineers is D. Foley, R. T. Holbrook, N. Kale, T.-S. Leu, H. Lin, T. Magee, S. Tadepalli, P. Taniguchi and D. Wallace.

Finally, I owe a lifelong debt to my loving wife Barbara for tolerating the hectic pace first in college and then in the business world. Without her, this book would not have been possible.

*David C. Wilcox*

